

Figure 1-1




Figure 1-2





Figure 1-3


T08280" 90274660

FIGURE 1A




T02230" 90214660

FIGURE 1B



FOSSCO" 902F4660

FIGURE 1C




TOPPED" 902TH660

FIGURE 2A

Size: 0.6360 mg

Method: 10 DEG C/MIN AMB TO 300

Comment: SEALED PAN




108260" 9024660

FIGURE 2B

Size: 1.7840 mg

Method: 10 DEG C/MIN AMB TO 300

Comment: SEALED PAN



Size: 1.4230 mg
Method: 10 DEG C/MIN AMB TO 300
Comment: SEALED PAN

FIGURE 2C





FIGURE 2D

Size: 1.0400 mg
 Method: 10 DEG C/MIN AMB TO 300
 Comment: SEALED PAN




Exo Up

Temperature (°C)


Q. Did you find that the defendant was not in the room at the time of the shooting?

FIGURE 3A




FOOBB" S02F4060


FIGURE 3B



FOOBB" 902F4660


FIGURE 3C





T08280" 50274660

FIGURE 4



FOSSCO" SDET1600

FIGURE 5




FIGURE 6A




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 11




FIGURE 12




FIGURE 13





FIGURE 14



103220" 92211660

FIGURE 15




FIGURE 16




FIGURE 17





FIGURE 18



FORM 902-1652


FIGURE 19

Form

A: Cooling Rate


B: Purity

C: End Point



100220" 90221600

FIGURE 20



100220" 90271650

FIGURE 21




FIGURE 22

INEL

